

electec[®]

Solar Off Grid Inverter



KS 3KW-24V

Features

- Pure sine wave inverter
- Output power factor 1
- Selectable input voltage range for home appliances and personal computers
- Selectable charging current based on applications
- Configurable AC/Solar input priority via LCD setting
- Compatible to AC mains or generator power
- Battery equalization for optimized battery performance and lifecycle
- Optional remote panel available





Solar Off Grid Inverter



SPECIFICATIONS

MODEL	KS 3KW-24V
Rated Power	3000VA/3000W
Parallel Capability	No

INPUT

Voltage	230 VAC
Selectable Voltage Range	170-280 VAC (For Personal Computers) ; 90-280 VAC (For Home Appliances)
Frequency Range	50 Hz/60 Hz (Auto sensing)

OUTPUT

AC Voltage Regulation (Batt. Mode)	230VAC \pm 5%
Surge Power	6000VA
Efficiency (Peak)	93 %
Transfer Time	10 ms (For Personal Computers) ; 20 ms (For Home Appliances)
Waveform	Pure sine wave

BATTERY

Battery Voltage	24 VDC
Floating Charge Voltage	27 VDC
Overcharge Protection	31 VDC

SOLAR CHARGER & AC CHARGER

Maximum PV Array Power	1200 W
Standby Power Consumption	2 W
Maximum PV Array Open Circuit Voltage	60 VDC
Maximum Solar Charge Current	50 A
Maximum AC Charge Current	30 A
Maximum Charge Current	50 A

PHYSICAL

Dimension, D x W x H (mm)	100 x 272 x 355
Net Weight (kgs)	6.9

ENVIRONMENT

Humidity	5% to 95% Relative Humidity (Non-condensing)
Operating Temperature	0°C to 55°C
Storage Temperature	-15°C to 60°C

*Typical transfer time for parallel operation is 30ms.
All information contained in this document is subject to change without notice.